







ISO 9001 ISO 14001 ISO 45001 ISO 50001 Certified Company Kumarasamy Raja Nagar – 521457 Jaggayyapet Mandal, Krishna District, Andhra Pradesh, India Phone: 08654 224400-04

Fax: 08654 222352

E-mail: mcljpm@ramcocements.co.in

RCL/MoEF&CC/JPM NB-239/645

Dt. 24.11.2023

Ministry of Environment, Forests and Climate Change, Integrated Regional Office, Green House Complex, Gopala Reddy Road, VIJAYAWADA – 520 010.

Respected Sir,

Sub: Submission of Half-Yearly Compliance Report for Environmental Clearance for

Jayanthipuram Limestone Mine (North Band) of The Ramco Cements Limited for the

period from April 2023 to September 2023 - Reg.

Ref: EC Lr. No. J-11015/377/2006-IA.II(M) dated 18.05.2007.

We are herewith submitting the Half-Yearly Compliance for Environmental Clearance for the period from April 2023 to September 2023 along with relevant enclosures for Jayanthipuram Limestone Mine (North Band), Jaggayyapet Mandal, NTR District, Andhra Pradesh. Name, designation and contact details of person in-charge of environmental division are:

ASHISH KUMAR SRIVASTAVA
President (Mfg.)
Phone No. 08654 – 224400,
Fax No. 08654 – 222352,
e-mail: mclipm@ramcocements.co.in

This is for your kind information and perusal please.

Thanking you,

Yours faithfully,
For The Ramco Cements Limited,
(Formerly known as Madras Cements Ltd.,)

ASHISH KUMAR SRIVASTAVA President (Mfg.)

Encl.: a.a

Cc to: Central Pollution Control Board, No. 77A, 2<sup>nd</sup> Floor, South Avenue Road, Ambattur Industrial Estate, Chennai – 600 058.

### HALF-YEARLY COMPLIANCE REPORT

Environmental Clearance	J-11015/377/2006-IA.II (M) and dated 18.05.2007	
Letter/s No. and Date	·	
Name of the Project	Jayanthipuram Limestone Mine (North Band) of The Ramco	
	Cements Limited (Formerly Madras Cements Ltd.) – 1.8 Million	
	TPA Capacity of Limestone.	
Period of Compliance Report	April 2023 to September 2023	

### A. Specific Conditions:

	Top soil shall be stacked properly with proper slope with adequate safeguards and shall be backfilled for reclamation and rehabilitation of mined out area.  Garland drains shall be constructed to arrest silt and sediment flows from soil and mineral dumps. The water so	<ul> <li>Being complied.</li> <li>At present, no topsoil is available in this mining lease.</li> <li>Topsoil extracted from this mining lease was used for greenbelt development as well as for top layer on reclamation area in the mining lease.</li> <li>Being complied.</li> <li>Various measures taken are:</li> </ul>
1		
	collected shall be utilized for watering the mine area, roads, greenbelt development etc., The drains shall be regularly de-silted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for both mine pit and for waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years' data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals.	<ul> <li>Garland drains (5665 m*2.0m* 1.5m) with a gradient of about 1 in 100 are made all along the waste dump - North Eastern side of the Lease area, Eastern side &amp; Southern side of the ML area.</li> <li>Water collected through this garland drain is connected to the settling tank &amp; water recharge pit over an area of 0.50 ha (South Eastern side of ML area).</li> <li>One more recharge pit is made over an area of 0.15 Ha in Northwest side of Mining Lease area.</li> <li>Drains and settling tank are de-silted regularly.</li> </ul>
I I	Drilling and blasting shall be by using dust extractors / wet drilling.	Being complied.  Wet drilling is being practiced. Controlled
iv. I	Plantation shall be raised in an area of	blasting is being done.  Being complied.
	195.54 Ha including a greenbelt of adequate width by planting the native species around the ML area, roads, OB	<ul> <li>An area of 66.60 ha within ML has been covered under plantation with native plant species up to September 2023.</li> </ul>

S.No.	Condition	Compliance Status
	dump sites etc., in consultation with the local DFO / Agriculture department. The density of the trees shall be around 2500 plants per Ha. The company shall avoid plantation of mono culture species. Further greenbelt shall be developed in the North to NE direction of mine to protect the temple from dust emission. Fruit bearing species shall be planted by involving local people especially women with the help of self help groups.	<ul> <li>Greenbelt development will be further extended in a phased manner.</li> <li>All saplings including fruit bearing species are planted and regular maintenance is being done by involving local people.</li> <li>The plantation will be continued in phased manner up to conceptual stage.</li> <li>An EC amendment request is submitted to the Ministry on 07.01.2015 for this condition because at the time of obtaining EC, the existing greenbelt area is 24.00 ha. As per approved Mining Plan and the proposed greenbelt area at the conceptual stage is 62.39 Ha. The same is mentioned in page Nos. 69 &amp; 86 of Rapid EIA report.</li> </ul>
	·	In page 1 of EC letter also, it is mentioned that 62.39 Ha of greenbelt area is to be developed, but in page No. 2 of specific condition No. iv, it is mentioned that 195.54 Ha of greenbelt is to be developed. The proposed land use pattern at Conceptual stage specified that 62.39 Ha of greenbelt will be developed in EIA report and approved Mining Plan.
		Hence an EC amendment request is submitted to the Ministry on 07.01.2015 for amendment of this condition, to amend the greenbelt area from 195.54 Ha to 62.39 Ha. EAC committee recommended to amend this condition in the meeting held on 28.10.2015 and the EC amendment order is awaited. We have requested to the MoEF&CC regarding the same vide letter No. RCL/MoEF&CC/237/388, dt. 02.03.2021. The extract of the EAC minutes and letter dated 02.03.2021 are enclosed as Annexure - I.
V.	The company shall develop 50 m wide greenbelt barrier along the mine lease since distance between the last point of the mine and river is 1.0 km.	Being complied. The greenbelt developed with a width of 50 m along the mining lease boundary towards the River.

S.No.	Condition	Compliance Status
vi.	The company shall prepare Wild life conservation in consultation with CWLW / State Forest Department for implementation.	<ul> <li>Wild life conservation plan is not prepared as there is no wild life and Schedule - I species are present in the area as per the authenticated list of Flora and fauna by Forest Department and no wild life is observed after opening the mine in the subject area.</li> <li>This mining lease area does not fall under forest area. There are some agriculture lands and public roads in between the nearest reserve forest and the subject mining lease area.</li> <li>Further submitted letter to Chief Wild Life Warden requesting their suggestions for conservative measures and reply is awaited.</li> </ul>
vii,	There shall be no advancement of mine benches laterally. Orientation of mine benches shall be across the strike to minimize the decline in the ground water level.	Being complied. There is no advancement of mine benches laterally and the movement of benches is across the strike only.
viii	Risk assessment study shall be undertaken for entire north band and report submitted to the Ministry.	<ul> <li>Risk assessment study is carried out and the report is incorporated in EIA / EMP report and submitted to the Ministry vide Lr. No. MCL/MoEF/ 4009/2007 dated 05.10.2007.</li> <li>Risk assessment study is being reviewed regularly and updated up to January 2023.</li> </ul>
ix.	The company shall develop pisciculture in the water body(s) after mining activity is over. A fisherman cooperative society shall be formed with the affected people as members and initial financial support by the company. The company shall involve local people in the afforestation programme.	<ul> <li>Noted.</li> <li>Pisciculture will be taken up at final stage of mining activities.</li> <li>Local people are being engaged in greenbelt development activity.</li> </ul>
X.	The project authority shall implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground water board.	<ul> <li>Suitable ground water conservative measures are being taken up such as garland drains, check dams, recharge pit and rainwater harvesting pits etc.</li> <li>The rain water collected in mine pit is being used for dust suppression, greenbelt development and domestic purposes after settling of silt in mine sump and through settling tank.</li> </ul>

S.No.	Condition	Compliance Status
		<ul> <li>As part of the CSR activities, mine seepage water is being supplied to nearby villages in Jaggayyapet Mandal, to conserve the water resources in the vicinity.</li> </ul>
		<ul> <li>A pond of 160 m * 30 m size (nearly 0.5 ha area) is made at SE corner of lease area which is helping ground water recharge in the nearby area and excess mine seepage water is being pumped into this pond.</li> </ul>
		<ul> <li>One more pond of 60 m * 35 m size (nearly 0.15 ha area) is made at Northeast side of lease area which is helping ground water recharge in the nearby area.</li> </ul>
		<ul> <li>Excess mine pit water is also being supplied for agricultural purposes for about 85 acres on need basis so as to conserve the ground water resources in the vicinity.</li> </ul>
		<ul> <li>Check dam is constructed on Vagu outside the mining lease in the NW side to recharge groundwater in the surrounding area.</li> <li>NOC obtained vide their letter Lr. No.</li> </ul>
		PRR05-11028/14/2018-SLNA-GIS-CORD, date: 19.02.2021 to conduct the mining operations below ground water table from Department of Panchayat Raj & Rural Development, Government of Andhra Pradesh (agency authorized to issue NOC for Andhra Pradesh projects). The conditions stipulated in this NOC are being followed and yearly compliance reports are being submitted to the concerned. This order is valid up to 18.02.2024.
xi.	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing well and constructing new piezometers	Being complied.  Groundwater levels are being monitored regularly (at 4 locations) and readings are being recorded.  The ground victor data for the presided April.
	during the mining operation. The monitoring shall be carried out four times in a year – Pre-monsoon (April-May), Monsoon (August), Post-Monsoon (November) and Winter	<ul> <li>The ground water data for the period April 2023 to September 2023 is being submitted to the CGWB, copy is enclosed as Annexure – II.</li> </ul>
	Monsoon (November) and Winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground Water Authority and Regional Director, Central Ground Water Board.	<ul> <li>Compiled data on ground &amp; surface water quality carried out by MoEF&amp;CC approved external environmental agency (M/s Universal Enviro Associates, Hyd) for the same period is enclosed as Annexure – III.</li> <li>The monitoring is being carried out four times in a year — Bro monsoon (April May)</li> </ul>

times in a year – Pre-monsoon (April-May),

S.No.	Condition	Compliance Status
		Monsoon (August), Post-Monsoon
		(November) and Winter (January).
xii.	• •	
	clearance under the Forest	
	(Conservation) Act, 1980.	hence not applicable.
xiii	Prior permission from the competent	Being complied.
	authority shall be obtained for drawl of ground water, if any.	<ul> <li>Permission obtained from the Department of Panchayat Raj and Rural Development Department, Government of Andhra Pradesh (agency authorized to issue NOC for Andhra Pradesh projects) for extraction of Ground water vide Letter No. PRR05-11028/45/2018-SLNA-GIS-CORD, dt. 13.11.2021 from the available quantity of water from the mine de-watering only.</li> <li>This clearance is common for our cement plant, thermal power plant, waste heat power plant, township and for four captive Mining Lease areas (including the said mine).</li> </ul>
	,	• This order is valid up to 12.11.2024.
xiv	Vehicular emissions shall be kept under	Being complied.
	control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operation & in transportation of mineral. The vehicles shall be covered with a tarpaulin and shall not be overloaded.	<ul> <li>Vehicles are being maintained properly at our workshop located at cement plant.</li> <li>Vehicle emission levels are being monitored regularly and kept under control.</li> <li>With proper supervision regularly, it is ensuring that the vehicles are not overloaded.</li> <li>To avoid fine particles, escape while transporting, the following measures is being in practice:</li> <li>Transportation of mineral is being done by moderately loading the vehicles to avoid the spillage.</li> <li>The body height of the vehicle is raised by 1 foot to avoid the spillage of material.</li> </ul>
XV.	A final mine closure plan along with details of Corpus Fund shall be submitted to the MOEF 5 years in advance of final mine closure for approval.	<ul> <li>Being complied.</li> <li>The life of the mine is estimated up to the year of 2031-2032.</li> <li>The final mine closure plan along with other details will be submitted accordingly to MoEF&amp;CC as suggested.</li> </ul>

### B. **GENERAL CONDITIONS**:

S.No.	Condition	Compliance Status
i.	No change in mining technology and scope of working shall be made without prior approval of the MoEF.	Being complied.  No change in mining technology and the scope of working.
il.	No change in the calendar plan including excavation, quantum of mineral and waste shall be made.	<ul> <li>Being complied.</li> <li>No change in the calendar plan.</li> <li>In the financial year 2022-2023, the limestone production was 1.499 million tonne against production capacity of 1.80 million TPA.</li> <li>Waste of 1005469 cu.m generated during the financial year 2022-2023 against IBM approved quantity of 1010127 cu.m.</li> </ul>
iii.	Conservation measures for protection of flora and fauna in the core & buffer zone shall be drawn up in consultation with the local forest and wildlife department.	<ul> <li>Noted.</li> <li>There is no forest area in the mining lease and no endangered species in the mining lease area.</li> <li>Further submitted letter to Chief Wild Life Warden requesting their suggestions for conservative measures and reply is awaited.</li> </ul>
iv.	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RPM, SPM, SO <sub>2</sub> , NO <sub>X</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive in consultation with State Pollution Control Board.	Being complied.  4 Nos. & 9 Nos. of ambient air quality monitoring stations in core zone & buffer zone respectively are established based on the meteorological data, topographical features and environmentally and ecologically sensitive in consultation with State Pollution Control Board and regular monitoring (fortnightly) is being carried out through MoEF&CC approved external environmental monitoring agency for PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , NOx monitoring.
V.	Data on Ambient Air Quality (RPM, SPM, SO <sub>2</sub> , NO <sub>x</sub> ) should be regularly submitted to the Ministry including its RO located at Bangalore and the SPCB / CPCB once in six months.	Being complied.  Data of the Ambient Air Quality is being submitted to the Regional Office, MoEF&CC located at Chennai and the SPCB / CPCB regularly once in six months. Compiled data for the period April 2023 to September 2023 is enclosed as Annexure – IV.
Vi.	Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.	<ul> <li>Being complied.</li> <li>Fugitive dust emissions are being controlled at the source.</li> <li>Permanent water sprinkling system is being operated on main haul road leading to the limestone crusher.</li> <li>Mobile water spraying tanker is being</li> </ul>

S.No.	Condition	Compliance Status
		<ul> <li>used to control dust emission on other main haul road leading to the limestone crusher.</li> <li>Water is being sprayed on internal ramp roads, muck piles and unloading points (on dumps) by mobile water tankers.</li> <li>Wet drilling is being practiced.</li> <li>Water fogging system is being operated at limestone crusher dump hopper (limestone unloading point) to suppress the fugitive emissions.</li> <li>To avoid spillage of material while transporting, the following measures are being in practice: <ul> <li>Moderate loading of tippers.</li> <li>The body height of the vehicle is raised by 1 foot.</li> </ul> </li> </ul>
vii.	Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM etc., shall be provided with ear plugs / muffs.	
viii.	Industrial waste water (workshop and wastewater from the mine) should be properly collected, treated so as to confirm to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.	
ix.	Personal working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Being complied. Personal Protective Equipment are being provided to the personnel working in dusty areas and adequate training & information on safety & health aspects are being provided as part of Mines Vocational Training at our Ramco Mines Vocational Center.
х.	Occupational health surveillance programme of the workers shall be	Being complied.  Occupational health surveillance

S.No.	Condition	Compliance Status
	undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	programme is taken up periodically and records are being maintained. Corrective measures will be taken to the contractions due to exposures of dust, if needed.  A full-fledged Occupational Health Centre with a qualified Occupational Health Specialist with supporting staff is established with the following facilities:  X-ray  ECG  Spirometry (lung function test)  Audiometry  Semi-auto analyser to carryout biochemical tests  Clinical lab for micro-biological tests (including sputum test)  Checking colour blindness  Dental chair  Ambulance
xi.	A separate environmental management cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the organization.	<ul> <li>Being complied.</li> <li>Environment management cell is established with qualified personnel to look after the environment management related activities and is reporting to Head of the Unit of the company.</li> <li>The organization chart is enclosed as Annexure- VII.</li> </ul>
xii. & xiv.	The project authorities shall inform to the RO located at Bangalore regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	<ul> <li>Date of financial closure for this project is not required as the total funding for this project is from own funds.</li> <li>The same is informed to the Regional Office on 02.06.2007.</li> </ul>
xiii.	The funds earmarked for environmental protection measures shall be kept in separate account and should not be diverted for other purposes. Year-wise expenditure shall be reported to the Ministry and its RO located at Bangalore.	
xv.	The RO of this Ministry located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full co-	The copy of this half-yearly compliance report is mailed to eccompliance-

S.No.	Condition	Compliance Status
	operation to the officer(s) of the RO by furnishing the requisite data / information / monitoring reports.	<ul> <li>Chennai dated 13.08.2019.</li> <li>The same is also uploaded in PARIVESH portal.</li> <li>Necessary co-operation along with relevant data is being provided.</li> </ul>
xvi.	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Noted.
xvii.	SPCB should display a copy of the clearance letter at RO, district industries centre and Collector's Officer / Tahsildar's office for 30 days.	Noted.
xviii.	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the SPCB and also at website of the MOEF at http://envor.nic.in and a copy of the	Complied. Advertised in "Eenadu" Telugu daily and "The Hindu" English daily on 27.05.2007 and copy of the same is submitted to RO, Bangalore vide Lr. No. MCL/Mines/North Band/165 dated 02.06.2007.

(Signature)

approved by Indian Bureau of Mines (IBM) vide letter no 314(3)/2009-MCCM(CZ)/MP/MS/PMCP-9 dated 31.12.2009.

The mining is proposed on the hill top and the depth of the mine from hill top will be 24m. The method of mining will be opencast mechanized. The lease area of the mine is 293.12 ha which out of which 19.24 ha which was a private revenue land and 273.88 ha was forest land. Application for diversion of forest land was submitted on April, 18<sup>th</sup>, 2011. The mine will be captive to 2.5 MTPA Cement Plant. The water table is at a depth of 10m below ground level. Mining will not intersect the ground water table. No National Park/Sanctuary/Eco-sensitive Zone is located within 10 km radius of the mine. The Pada Vegu River and Bapu River are flowing at a distance of 1.5 and 2.0 km respectively. The OB will be dumped in the non-mineralised area with construction of garland drain to prevent spillage of waste. It was informed by the PP that mine site is located outside the Critically Polluted Area.

Baseline data was collected from March 2010 to May 2010. All environmental parameters are to be within permissible limits. Public Hearing was conducted on 26.4.2011. The PH was presided over by the District Collector, Chandrapur. Public hearing was conducted successfully and issues raised by public were addressed by the project proponent with commitment for implementation of development activities. Total cost of the project is Rs. 4232.71 lakhs.

The proposal of EC was earlier considered by the Committee in its meeting held during December 19-21, 2012 wherein the Committee recommended the project for environmental clearance subject to submission of the copy of Mining Plan with Progressive Mine Closure Plan has been approved by Indian Bureau of Mines. Accordingly, vide Letter No. NIMCO/EC/2013/102 dated May 2, 2013, the copy of the Mining Plan with Progressive Mine Closure Plan approved by Indian Bureau of Mines (IBM) was submitted by PP.

The Committee deliberated at length the information submitted by PP and **recommended** the proposal for Environmental Clearance for limestone mining at capacity 1.0 MTPA of M/s New India Mining Corporation Pvt. Ltd, located at village Chedwai, District Chandrapur in Maharashtra.

### AMENDMENT OF ENVIRONMENT CLEARANCE

(2.62) J-11015/377/2006-IA.II(M) Jayanthipuram Limestone Mine (North Bond) Project of M/s Madras Cements Ltd at Village Jayanthipuram, Jaggayopetu Taluka in Krishna District in Andhra Pradesh.

The proposal of M/s Madras Cements Ltd. is for amendment of environmental clearance no. J-11015/377/2006-IAII(M) dated 18.05.2007 w.r.t. plantation area in the Point No. iv. of Specific Conditions of EC as — 'plantation shall be raised in an area Minutes of 39<sup>Th</sup> EAC Meeting (Non-coal mining sector) held during October 26-28, 2015 Page 102 of 118









ISO 9001 ISO 14001 ISO 45001 ISO 50001

Certified Company

Kumarasamy Raja Nagar - 521457 Jaggayyapet Mandal, Krishna District, Andhra Pradesh, India Phone: 08654 224400-04 Fax: 08654 222352 E-mall: mclipm@ramcocements.co.in

### THE RAMCO CEMENTS LIMITED

RCL/CGWB/JPM NB-239/650

Dt. 26.10.2023

Central Ground Water Board, 3-6-291, GSI Post, Bandlaguda, HYDERABAD - 500 068.

Dear Sir,

Sub: Submission of water level data & water quality data for Environmental Clearance for

Jayanthipuram Limestone Mine (North Band) for the period from April 2023 to

September 2023 - Reg.

Ref: EC Lr. No. J-11015/377/2006-IA.II(M) dated 18.05.2007.

This has reference to the above cited Environmental Clearance letter issued by Ministry of Environment & Forests, New Delhi for Jayanthipuram Limestone Mine (North Band).

We herewith enclose the water level data measured by piezometers & water quality data as part of half-yearly compliance for Environmental Clearance for this Mining Lease located at Jaggayyapet Mandal, NTR District, Andhra Pradesh for the period from April 2023 to September 2023.

This is for your kind information and perusal please.

Thanking you,

Yours faithfully,

for The Ramco Cements Limited,

(Formerly known as Madras Cements Ltd.)

ASHISH KUMAR SRIVASTAVA

President (Mfg.)

Encl.: a.a

M. Varm

# THE RAMCO CEMENTS LIMITED, JAYANTHIPURAM WATER LEVEL DATA - JAYANTHIPURAM LIMESTONE MINE (NORTH BAND) R DETAILS: 3.PIEZOMETER DETAILS:

### 1.PIEZOMETER DETAILS:

Location: North Band Bore Well Footwall Side

RL - (+)40.013m

Latitude - N16 52' 28.4" Longitude - E80 06' 42.1" Depth of well - 20.1 m

Depend	1	14(.tt
S. No.	Date of Monitoring	Water Level (m), bgl
1	16.04.2023	4.59
2	30.04.2023	4.61
3	16.05.2023	4.62
4	31.05.2023	5.19
5	16.06.2023	5.65
6	30.06.2023	6.14
7	16.07.2023	5.49
8	31.07.2023	4.86
9	1.6,08.2023	4.08
10	31.08.2023	3.60
11	16,09.2023	3.15
12	29.09.2023	2.90

### 2.PIEZOMETER DETAILS:

Location: North Band Open Well, Near Magazine

RL - (+)40.01m

Latitude - N16 51' 29.4" Longitude - E80 07' 19.3" Depth of well - 20.0 m

IS No.	Date of Monitoring	Water Level (m), bgl
1	16.04.2023	1.28
	30.04.2023	1.52
2		1.68
3	16.05.2023	
4	31.05.2023	2.13
5	16.06.2023	2.25
6	30.06.2023	2.30
7	16.07.2023	2.23
8	31.07.2023	2.13
9	16.08.2023	2.25
10	31.08.2023	2.30
11	16.09,2023	2.23
12	29.09.2023	1.90

Location: Near Magazine

RL - (+)42m

Latitude - N16 51' 40.10" Longitude - E80 07' 20.00" Depth of well - 50.0 m

Depen or		
S. No.	Date of Monitoring	Water Level (m), bgl
1	16.04.2023	9.76
2	30.04.2023	9.51
3	16.05.2023	9.36
4	31.05.2023	9.18
5	16.06.2023	9.02
6	30.06.2023	8.85
7	16.07.2023	8.71
8	31.07.2023	8.67
9	16.08.2023	8.45
10	31.08.2023	8.40
1.1	16.09.2023	8.54
12	29.09.2023	8.79

### **4.PIEZOMETER DETAILS:**

Location: North Band Pit-2 Area

RL - (+)48m

Latitude - N16 52' 39.0" Longitude - E80 06' 15.5" Depth of well - 50.0 m

S. No.	Date of Monitoring	Water Level (m), bgl
1	16.04.2023	5.28
2	30.04.2023	5.86
3	16.05.2023	6.41
4	31.05.2023	6.45
5	16.06,2023	6.43
6	30.06,2023	6.40
7	16.07.2023	5.84
8	31.07.2023	5.19
9	16.08.2023	4.64
10	31.08.2023	4.20
11	16.09.2023	4.22
12	29.09.2023	4.26

## THE RAMCO CEMENTS LIMITED, KSR NAGAR GROUND WATER QUALITY DATA - SURROUNDING VILLAGES

PERIOD - APRIL -2023 to SEPTEMBER-2023

S. No	Parameter	Unit	Dharmavarapadu Thanda Bore Well Water:April-23 to June-23	Chillakallu Open Well Water: April- 23 to June-23	K.Agraharam 8ore Weil Water: April- 23 to June-23	Pochampall Bore Well Water: April-23 to June-23	Jayanthipuram Bore Well Water:April-23 to June-23	Ravirala Bore Well Water: April- 23 to June- 23	Vedadri Bore Weli Water: April-23 to June-23	Budawada Bore Well Water: April- 23 to June- 223	Jaggayyapet Bore Well Water:April-23 to June-23	Limits
			Wi	W2	W3	W4	W5	W6	W7	ws	W9	
1	p <sup>R</sup>	•	7.61	7.63	7.55	7.69	7.68	7.79	7.51	7.59	7.79	6.5 - 8.5
2	Colour	Hazen	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	5-15
3	Temperature	°C	28.3	27.6	28.1	28.4	29.9	28.5	28.9	28.3	29.8	
4	Turbidity	NTU	1.4	1.1	1,2	1.6	1.5	1.8	1.4	1,6	1.7	1-5
5	Residual Chloride	mg/L	<1.0	<1.0	<1.0	<0.1	<0.1	<0.1	< 0.1	<0.1	<0.1	0.2-1
6	Dissolved Oxygen	mg/L	4.8	4.3	4.5	4.1	4.4	4.7	4.6	4.8	4.9	
7	Total Suspended Solids	mg/L	28.1	27.2	31.2	20.6	26.1	35.2	29.9	31.2	35.1	
8	Electrical Conductivity	µmhos/cm	845	889	936	783	774	815	799	812	809	
9	Total Dissolved Solids	mg/L	548	541	529	487	436	431	438	441	452	500-2000
10	Total Hardness (as CaCO <sub>3</sub> )	mg/L	248	256	299	187	191	226	198	207	241	200-600
11	Calcium Hardness	mg/L	145	143	141	115	151	159	145	159	168	
12	Magnesium Hardness	0	115.0	127.0	138.0	119.0	40.9	66.7	53.5	43.6	75.9	
13	Calcium (as Ca)	mg/L	54.2	63.9	65.2	47.1	53.6	51.6	55.2	53.7	46.1	75-200
14	Magnesium (as Mg)	mg/L	35.1	25.3	24.8	24.6	34.1	18.2	25.1	29.6	23.5	30-100
15	Sodium (as Na)	mg/L	46.1	45.8	50.2	37.3	56.1	42.6	47.3	44.1	34.1	-
16	Potassium (as K)	mg/L	1.7	4.5	7.8	1.9	3.7	4.3	5.9	3.4	2.9	•
17	Chloride (as Cl)	mg/L	148.0	146.0	151.0	121.0	169.0	148.0	156.0	148.0	128.0	250-1000
18	Sulphate (as SO <sub>4)</sub>	mg/L	39.1	45.2	44.6	36.8	44.1	35.2 ;	34.3	37.2	34.3	200-400
19	Total Alkalinity (as CaCO <sub>3</sub> )	mg/L	131.0	139.0	115.0	126.0	131.0	128.0	108.0	104.0	96.3	200-600
20	BOD (for 3 days at 27 °C)	mg/L	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	
21	Chemical Oxygen Demand	mg/L	16.8	24.1	34.2	19.9	22.3	25.1	25.3	22.3	21.6	
22	Oil & Grease	mg/L	<1.0	<1.0	<1.0	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	
23	Iron (as Fe)	mg/L	0.19	0.17	0.24	0.08	0.19	0.08	0.15	0.19	0.07	0.3
24	Fluoride (as F)	mg/L	0.25	0.21	0.28	0.31	0.42	0.37	0.24	0.28	0.27	1.0-1.5
25	Nitrate (as NO <sub>3)</sub>	mg/L	0.82	1.38	0.91	0.38	0.58	0.67	0.59	0.26	0.24	45
26	Phosphates (as PO <sub>4)</sub>	mg/L	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	
27	Cyanide (as CN)	mg/L	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
28	Pesticides (as Malathoin)	mg/L	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	
29	Phenolic Compounds (as	mg/L	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	
30	C <sub>6</sub> H <sub>5</sub> OH) Manganese (as Mn)	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	< 0.01	
	Chromium (as Cr+6)	mg/L	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	
32		mg/L	< 0.01	<0.01	<0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	1.5
33		mg/L	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
	Aluminium (as Al)	mg/L	< 0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01	
	Cadmium (as Cd)	mg/L	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
36		mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05-0.2
37		mg/L	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2
	Mercury (as Hg)	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	**
39		mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.1
40		mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.5 - 15
41	· · · · · · · · · · · · · · · · · · ·	%	49.7	45.1	38.6	39.9	44.6	42.3	37.1	36.9	40.1	-
42		MPN/100 mL		Nil	NII	Nil	Nil	Nil	Nil	Nil	NII	50-5000
43		MPN/100 mL		Nil	NII	Nil	Nil	Nil	NII	Nil	Nil	
	E.Colf	MPN/100 mL		Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	-

### THE RAMCO CEMENTS LIMITED, KSR NAGAR GROUND WATER QUALITY DATA - SURROUNDING VILLAGES PERIOD - APRIL -2023 to SEPTEMBER-2023

S. No	Parameter	Unit	Dharmavarapadu Thanda Bore Weli Water: July-2023 to Sep-2023	Chillakallu Open Well Water: July- 2023 to Sep- 2023	K.Agraharam Bore Well Water: July- 2023 to Sep- 2023	Pochampaili Bore Well Water: July- 2023 to Sep- 2023	Jayanthipuram Bore Well Water: July- 2023 to Sep- 2023	Ravirala Bore Well Water: July-2023 to Sep-2023	Vedadri Bore Well Water: July-2023 to Sep-2023	Budawada Bore Well Water: July- 2023 to Sep- 2023	Jaggayyapet Bore Well Water: July- 2023 to Sep- 2023	Limits
			W1	W2	W3	W4	W5	W6	W7	W8	W9	ļ
1		-	7.63	7,49	7,52	7.38	7.67	7.91	7.63	7.61	7.92	6.5 - 8.5
2	Colour	Hazen	<2,0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	5-15
3	Temperature	°C	27.2	28.1	27.2	29.1	29.1	29.8	28.3	29.1	28.4	
4	Turbidity	NTU	1.1	1.4	1.2	1.5	1,8	1,9	1.7	1.8	1.2	1-5
5	Residual Chloride	mg/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0,1	<0.1	<0.1	<0.1	0.2-1
	Dissolved Oxygen	mg/L	4,8	4,1	4.7	4.9	5.1	4.9	5.2	4.9	4,6	
7	Total Suspended Solids	mg/L	29.6	28.3	28.6	27.1	28.6	33.1	38.6	36.8	39,6	
8	Electrical Conductivity	µmhos/cm	921.0	874.0	946.0	839.0	938,0	873.0	912.0	926	789.0	
9	Total Dissolved Solids	mg/L	543.0	542.0	561.0	471.0	561,0	568.0	542.0	563.0	539.0	500-2000
10	Total Hardness (as CaCO <sub>3</sub> )	mg/L	242,0	271,0	292.0	223.0	312.0	282.0	274.0	251.0	254.0	200-600
11	Calcium Hardness	mg/L	140.0	137.0	141.0	108.0	181.0	159.0	161.0	142.0	121,0	
12	Magnesium Hardness	mg/L	108.0	212.0	128.0	142.0	134.0	123.0	145.0	142,0	123.0	
13	Calcium (as Ca)	mg/L	54.1	63.1	64,2	53,1	55.3	54,6	54.9	57.1	46.2	75-200
14	Magnesium (as Mg)	mg/L	33,6	26,8	27.1	26.2	32.3	19.6	26.8	28.4	23.7	30-100
15	Sodium (as Na)	mg/L	46.2	43.5	49.1	38.6	56.2	43.1	48.6	49.3	37.1	-
16	Potassium (as K)	mg/L	1.8	4.3	7.1	1.8	2,9	3.3	5,1	3.6	2,9	-
	Chloride (as Cl)	mg/L	148.0	141.0	137.0	121,0	170.0	153.0	152.0	148.0	131.0	250-1000
18	Sulphate (as SO <sub>4);</sub>	mg/L	36.1	38.6	44.1	38.2	45.1	36.2	36.1	36.9	334,0	200-400
19	Total Alkalinity (as CaCO <sub>3</sub> )	mg/L	145.0	139.0	112.0	119.0	139,0	136.0	138.0	141.0	98.3	200-600
20	BOD (for 3 days at 27 °C)	mg/L	<4.0	<4,0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	
21	Chemical Oxygen Demand	mg/l.	18.6	25.4	29.9	24.2	23.1	22.1	18.6	18.9	17.8	
22	Oli & Grease	mg/L	<0.1	<0.1	<0.1	<0,1	<0,1	<0.1	<0,1	<0.1	<0.1	
23	Iron (as Fe)	mg/L	0.0	8,21	0.2	.0.7	0.1	0.06	0.17	0.19	0.09	0.3
24	Fluoride (as F)	mg/L	0.17	0.28	0.31	0.29	0.24	0.25	0.31	0.28	0.34	1.0-1.5
25	Nitrate (as NO <sub>3)</sub>	mg/L	0.89	1.23	0.78	0.41	0,59	0.67	0,62	0.37	0.41	45
26	Phosphates (as PO <sub>4)</sub>	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	
27	Cyanide (as CN)	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
28	Pesticides (as Malathoin)	mg/L	< 0.01	<0.01	< 0.01	<0.01	< 0.01	<0.01	< 0.01	<0.01	<0.01	
29	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> Oh	mg/L	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	
30	Manganese (as Mn)	mg/l.	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	
31	Chromium (as Cr <sup>+6)</sup>	mg/L	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
32	Copper (as Cu)	mg/L	<0.01	< 0.01	< 0.01	<0.01	< 0.01	<0.01	< 0.01	<0.01	<0.01	1.5
33	Selenium as Se	mg/l.	<0.01	< 0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	
	Aluminium (as Al)	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	
35	Cadmium (as Cd)	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
36	Arsenic as As	mg/L	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	< 0.01	<0.01	<0.01	0.05-0.2
37	Boros (as 8)	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2
38	Mercury (as Hg)	mg/L	<0.001	<0.001	<0.001	<0.001	<0,001	<0.001	<0.001	<0.001	<0.001	
39	Lead (as Pb)	mg/L	<0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.1
40	Zinc (as Zn)	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.5 - 15
41	Percent Sodium	%	49.70	45.30	39.10	36,30	46,80	41,60	42.90	37.10	38.90	
42	Total Coliforms	MPN/100 mL	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	50-5000
43	Faecal Coliforms	MPN/100 mL	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	-
44	E.Coil	MPN/100 mL	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	-

### THE RAMCO CEMENTS LIMITED, KSR NAGAR JAYANTHIPURAM LIMESTONE MINE (NORTH BAND) SURFACE WATER QUALITY DATA PERIOD - APRIL -2022 to SEPTEMBER-2022

S. No	Parameter	Unit	Nallah Upstream: April-2023 to June-2023	Nailah Downstream: April-2023 to June-2023	Nallah Upstream: July-2023 to Sep-2023	Nallah Downstream: July-2023 to Sep-2023	Limits
1	p <sup>H</sup>	-	7.41	7.51	7.37	7,49	6.5 - 8.5
2	Colour	Hazen	<2.0	<2.0	<2.0	<2.0	10-30
3	Temperature	°C	27.90	28.20	29.1	29.90	
4	Turbidity	NTU	2.40	2.60	2.20	2.30	
5	Residual Chloride	mg/L	<0.1	<0.1	<0.1	<0.1	V11-14
6	Dissolved Oxygen	mg/L	4.20	4.50	3.40	3.70	4.02 - 6.0
7	Total Suspended Solids	mg/L	46.30	39.70	47.10	43.50	w-a
8	Electrical Conductivity	µmhos/cm	751.00	836.00	763.00	849.00	
9	Total Dissolved Solids	mg/L	391.00	542.00	412.00	536.00	500-2100
10	Total Hardness (as CaCO₃)	mg/L	183.00	291.00	189.00	281.00	
11	Calcium Hardness	mg/L	95.10	151.00	96.20	141.00	
12	Magnesium Hardness	mg/L	87.10	128.00	88.30	123.00	***
13	Calcium (as Ca)	mg/L	35.20	58.20	38.20	56.10	
14	Magnesium (as Mg)	mg/L	19.90	24.30	19.10	24.10	
15	Sodium (as Na)	mg/L	34.90	55.20	34.20	55,10	w-d
16	Potassium (as K)	mg/L	1.03	1.14	1.07	1.08	
17	Chloride (as Cl)	mg/L	96.10	141.00	93.60	131.00	250 - 600
18	Sulphate (as SO <sub>4)</sub>	mg/L	29.90	45.10	29.30	42.80	400 - 1000
19	Total Alkalinity (as CaCO₃)	mg/L	86.30	121.00	87.10	123.00	<del></del>
20	BOD (for 3 days at 27 °C)	mg/L	<1.0	<1.0	<1.0	<1.0	2 - 3
21	Chemical Oxygen Demand	mg/L	28.70	29.10	28.10	29.30	<del></del>
22	Oil & Grease	mg/L	<0.1	<0.1	<0.1	<0.1	
23	Iron (as Fe)	mg/L	0.24	0.28	0.24	0.27	0.3 - 5.0
24	Fluoride (as F)	mg/L	0.33	0.64	0.38	0.91	1.0-1.5
25	Nitrate (as NO <sub>3)</sub>	mg/L	0.80	1.50	0.60	1.30	20 - 50
26	Phosphates (as PO <sub>4)</sub>	mg/L	<0.01	< 0.01	<0.01	<0.01	
27	Cyanide (as CN)	mg/L	<0.01	<0.01	< 0.01	<0.01	***
28	Pesticides (as Malathoin)	mg/L	< 0.01	<0.01	<0.01	<0.01	
29	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/L	<0.01	<0.01	<0.01	<0.01	N/AN
30	Manganese (as Mn)	mg/L	<0.01	<0.01	<0.01	<0.01	
31	Chromium (as Cr <sup>+6)</sup>	mg/L	<0.01	<0.01	<0.01	<0.01	
32	Copper (as Cu)	mg/L	<0.01	<0.01	<0.01	<0.01	1.5
33	Selenium as Se	mg/L	<0.01	<0.01	<0.01	<0.01	
34	Aluminium (as Al)	mg/L	<0.01	<0.01	<0.01	<0.01	**
35	Cadmium (as Cd)	mg/L	<0.01	<0.01	<0.01	<0.01	
36	Arsenic as As	mg/L	<0.01	<0.01	<0.01	<0.01	0.05 - 0.2
37	Boron (as B)	mg/L	<0.01	<0.01	<0.01	<0.01	2
38	Mercury (as Hg)	mg/L	<0.01	<0.01	<0.01	<0.01	
39	Lead (as Pb)	mg/L	<0.01	<0.01	<0.01	<0.01	0.1
40	Zinc (as Zn)	mg/L	<0.01	<0.01	<0.01	<0.01	1.5 - 15
41	Percent Sodium	%	37.20	40.10	38.90	39.60	
42	Total Coliforms	MPN/100 mL	75.20	86.30	74.10	89.30	50-5000
43	Faecal Coliforms	MPN/100 mL MPN/100 mL	29.10 24.00	34.60 31.00	28.20 26.00	34.90 29.00	***

۲E -					Limit		100	60	80	80	2000	100	60	08	80	2000	100	9	80	80	2000	100	9	80	80	2000
- ANNEXURE					er-2023	II FORT NIGHT	55.3	22.5	18.3	20.8	591	50.6	20.7	15.9	18.7	542	52.9	21.5	15.3	18.2	263	51.8	20.9	17.8	20.9	548
					September-2023	I FORT NIGHT	60.2	24.3	16.8	19.4	476	58.3	23.7	15.9	18.8	502	65.4	26.7	16.1	18.8	489	6.09	24.9	16.3	19.3	478
					-2023	II FORT NIGHT	58.9	23.9	19.2	21.7	584	52.1	21.4	16.8	19.6	989	55.1	22.4	17.9	20.8	571	53.9	21.8	17.1	20.2	577
		IJ Z			August-2023	I FORT NIGHT	63.5	25.7	17.2	19.8	489	62.4	25.3	16.9	19.8	531	66.1	27.0	17.5	20.2	501	61.8	25.3	18.2	21.2	488
	AND)	CORE ZONE			2023	II FORT NIGHT	56.3	22.9	18.6	21.1	561	50.1	20.5	15.3	18.1	528	52.6	21.4	17.1	20.0	562	50.8	20.5	16.9	20.0	564
NAGAR	NORTH B	1 1	R-2023	 _	July-2023	I FORT NIGHT	62.9	25.4	18.2	20.8	263	60.1	24.4	16.1	19.0	529	63.5	26.0	17.3	20.0	536	58.4	23.9	17.9	20.9	522
TED, KSR	JE MINE (	ITORING	-2023 to SEPTEMBER-2023	Month	2023	II FORT NIGHT	63.2	25.7	20.6	23.1	612	69.1	28.3	19.4	22.2	589	61.6	25.1	21.2	24.1	563	62.3	25.5	18.3	21.4	626
ITS LIMI	IMESTOR	LITY MON	023 to S		June-2023	I FORT NIGHT	72.3	29.2	21.4	24.0	601	65.3	26.5	20.6	23.5	623	68.2	27.9	20.6	23.3	589	63.6	26.0	19.1	22.1	621
ICO CEMENTS LIMITED, KSR NAGAR	JAYANTHIPURAM LIMESTONE MINE (NORTH BAND)	AMBIENT AIR QUALITY MONITORING DATA -	APRIL -		.2023	II FORT NIGHT	76.9	31.2	21.4	23.9	654	70.3	28.8	20.6	23.4	639	72.7	29.6	22.9	25.8	650	71.5	28.0	19.9	23.0	699
THE RAM	JAYANTH	AMBIENT	PERIOD -		>	I FORT NIGHT	71.6	28.9	19.6	22.2	639	73.5	29.8	20.3	23.2	624	70.4	28.8	20.5	23.2	610	74.5	30.5	18.4	21.4	6283
					23	II FORT NIGHT	69.1	28.1	22.3	24.8	601	71.2	29.2	20.6	23.4	632	59.3	24.1	21.3	24.2	624	62.4	25.2	18.9	22.0	609
					Apr-23	I FORT NIGHT	70.3	28.4	21.2	23.8	612	62.9	26.8	20.3	23.2	623	68.6	28.1	21.2	23.9	589	69.3	28.3	21.4	24.4	612
					Parameter		PM 10	PM 2.5	so <sub>2</sub>	NOx	00	PM 10	PM 2.5	SO <sub>2</sub>	NOx	00	PM 10	PM 2.5	SO <sub>2</sub>	NOx	9	PM 10	PM 2.5	502	NOx	00
					Location		-		Mines office					NB-Weigh Bridge-2	<b>2</b>				Rest hall					Magazine Area		

Note: All values are mentioned in  $\mu g/m^3$ 

### THE RAMCO CEMENTS LIMITED, KSR NAGAR AMBIENT AIR QUALITY MONITORING DATA - BUFFER ZONE VILLAGES PERIOD - APRIL -2023 to SEPTEMBER-2023

							Month	າ						
Location	Parameter	April-	2023	May-	2023	June	-2023	July-	2023	Augus	t-2023	<u> </u>	ber-2023	Limit
		I FORT NIGHT	II FORT NIGHT											
	PM 10	65.1	65.3	58.9	55.9	65.2	68.9	60.5	48.3	62.4	45.3	60.3	48.3	100
Dhamainanada	PM 2.5	26.4	26.3	23.9	22.5	26.5	27.8	24.6	19.5	25.3	18.3	24.5	19.5	60
Dharmavarapupadu Tanda	SO <sub>2</sub>	16.3	19.2	16.2	17.2	16.2	19.6	12.3	18.2	13.4	17.3	12.9	18.2	80
	NO <sub>X</sub>	18.9	21.9	18.8	19.9	18.0	22.3	14.9	20.9	16.0	20.0	15.5	20.9	80
	со	291.0	277.0	239.0	272.0	312.0	278.0	284	248.0	214.0	254.0	199.0	261.0	2000
	PM 10	62.3	62.1	62.3	60.2	61.3	60.6	59.6	52.6	58.3	50.1	56.9	53.6	100
	PM 2.5	25.0	25.3	25.0	24.6	24.6	24.7	23.9	21.5	23.4	20.4	22.8	21.9	60
Jayanthipuram	SO₂	16.1	17.1	15.9	16.3	15.3	18.3	13.5	16.3	13.1	15.1	11.6	16.3	80
	NO <sub>X</sub>	19.0	20.0	18.8	19.2	18.2	21.2	16.4	19.2	16.0	18.0	14.5	19.2	80
	со	256.0	289.0	261.0	269.0	303.0	269.0	212	212.0	202.0	223.0	206.0	242.0	2000
	PM 10	59.1	63,8	56.3	58.3	62,4	64.9	60.4	43.5	61.4	44.6	60.5	59.1	100
	PM 2.5	23.9	25.8	22.7	23.6	25,2	26.3	24.4	17.6	24.8	18.1	24.4	23.9	60
Chillakallu	SO <sub>2</sub>	16.9	18.3	16.1	17.9	17.3	15.6	12.6	14.2	12.9	12.9	10.9	14.5	80
	NO <sub>X</sub>	19.6	21.4	18.8	21.0	20.0	18.7	15.3	17.3	15.6	16.0	13.6	17.6	80
	CO	245.0	278.0	259.0	301.0	321.0	274.0	236	235.0	209	239.0	201.0	249.0	2000
	PM 10	58.3	64.6	60.1	56.1	60.6	65.3	58.3	42.6	59.2	41.9	57.3	43,6	100
	PM 2.5	23.5	26.4	24.2	22.9	24.4	26.6	23.5	17.4	23.9	17.1	23,1	17.8	60
K.Agraharam Village	SO <sub>2</sub>	15.4	17.9	16.8	15.8	16.2	17.1	11.9	10.1	12.1	10.8	11.4	12.6	80
	NO <sub>x</sub>	18.5	20.3	19.9	18.2	19.3	19.5	15	12.5	15.2	13.2	14.5	15.0	80
	со	259.0	274.0	291.0	289.0	296.0	278.0	284	242.0	274	248.0	252.0	256.0	2000
	PM 10	57.2	58.4	62.9	72.1	63.5	60.2	54.6	58.4	53.5	56.2	51.6	58.1	100
	PM 2.5	23.5	23.6	52.9	29.1	26.1	24.3	22.4	23.6	22.0	22.7	21.2	23.5	60
Jaggayyapet	SO <sub>2</sub>	17.8	17.1	17.2	16.5	18.2	18.3	13.1	10.9	13.4	11.1	12.6	13.5	80
	NO <sub>X</sub>	20.2	20.1	19.6	19.5	20.6	21.3	15.5	13.9	15.8	14.1	15.0	16.5	80
	со	271.0	263.0	287.0	326.0	289.0	261.0	236.0	223.0	212	239.0	189.0	241.0	2000
	PM 10	61.3	67.3	65.6	59.7	62.8	69.1	55.3	52.9	52.8	50.3	50.8	52.6	100
	PM 2.5	24.2	27.7	25.9	24.5	24.8	28.4	21.8	21.7	20.9	20.7	20.1	21.6	60
Budawada	SO <sub>2</sub>	15.9	16.8	15.3	17.9	16.9	16.2	12.8	12.3	12.9	12.5	12.3	13.9	80
	NOx	18.7	19.4	18.1	20.5	19.7	18.8	15.6	14.9	15.7	15.1	15.1	16.5	80
	со	258.0	292.0	310.0	318.0	268.0	292.0	254.0	246.0	231	244.0	245.0	255.0	2000
	PM 10	58,2	61.3	63.1	62,3	64.6	63.5	61.2	60.6	60.4	54.3	58.9	58.2	100
	PM 2.5	23.7	24.4	25.7	24.8	26.4	25.3	25.0	24.1	24.6	21.6	24.0	23.2	60
Vedadri	SO <sub>2</sub>	16.3	17.1	16.9	18.2	17.1	16.9	14.2	11.2	13.2	12.8	12.5	13.8	80
	NOx	18.6	19.9	19.2	21.0	19.4	19.7	16.5	14.0	15.5	15.6	14.8	16.6	80
	со	274.0	274.0	290.0	291.0	271.0	274.0	235.0	248.0	232	251.0	252.0	263.0	2000
	PM 10	60.4	56.3	68.2	61.6	61.3	58.6	58,3	53.5	59.3	51.6	57.1	53.5	100
	PM 2.5	24.7	22.9	27.9	25.0	25.1	23.8	23.8	21.7	24.3	20.9	23.4	21.7	60
Pochampalli	SO <sub>2</sub>	15.5	16.9	17.3	17.1	15.3	17.1	13.5	14.1	13.3	14.2	13.1	15.1	80
	NO <sub>X</sub>	18.4	19.2	20.2	19.4	18.2	19.4	16.4	16.4	16.2	16.5	16.0	17.4	80
	co	288.0	268.0	312.0	307.0	299.0	259.0	216.0	261.0	229	268.0	236.0	274.0	2000
	PM 10	57.9	60.2	64.1	60.8	65.9	62.8	59.7	60.1	57.1	55,3	55.4	57.9	100_
	PM 2.5	23.6	24.2	26.1	24.8	26.8	25.6	24.3	24.5	23.2	22,6	22.5	23.6	60
Ravirala	- SO <sub>2</sub>	15,1	16.5	16.5	15.8	16.8	16.4.	11.6	13.8	11.9	14,1	11.6	15.3	80
	NO <sub>X</sub>	18.1	19.4	19.5	18.7	19.8	19.3	14.6	16.7	14.9	17.0	14.6	18.2	80_
	co	263.0	214.0	301.0	288.0	286.0	246.0	272.0	216.0	268	221.0	258.0	213.0	2000

Note: All values are mentioned in  $\mu g/m^3$ 

Annexure: V


# THE RAMCO CEMENTS LIMITED, KSR NAGAR NOISE LEVEL MONITORING - JAYANTHIPURAM LIMESTONE MINE (NORTH BAND) PERIOD - APRIL -2023 to SEPTEMBER-2023

				Noise Va	lue dB(A)	
SI. No	Date of monitoring	Machine / Location	Day time (6AM to 10PM)	Permissible Limit dB(A)	Night time (10PM to 6AM)	Permissible Limit dB(A)
1	27.09.2023	Drilling area	72.8	< 75	62.1	< 70
2	27.09.2023	Loading area	71.7	< 75	62.9	< 70
3	27.09.2023	Haul road	73	< 75	60.6	< 70
4	27.09.2023	Unloading area	71.9	< 75	63.7	< 70
5	27.09.2023	Mines office	52.6	< 75	39.9	< 70
6	27.09.2023	Crusher Hopper	60.5	< 75	52.8	< 70
7	27.09.2023	Sub Station	62.1	< 75	52.6	< 70
8	27.09.2023	Pump House	71.2	, < 75	61.4	< 70
9	27.09.2023	Weigh Bridge	63.8	< 75	53.7	< 70
10	27.09.2023	PMC Camp	53.1	< 75	42.9	< 70

THE RAMCO CEMENTS LIMITED, KSR NAGAR AUTO GARAGE OIL & GREASE TRAP OUTLET WATER QUALITY DATA PERIOD - APRIL 2023 TO SEPTEMBER 2023

					Month	<b>4</b>				
<u> </u>		<u>+</u> <u>-</u>	April-2023	May-2023	June-2023	July-2023	August- 2023	Sep-2023	Range / Average	Norm
0.10	J. NO Falallelel		7.97	7.99	7.82	7.79	7.82	7.93	7.82 - 7.99 5.5 - 9.0	5.5 - 9.0
	Total Dissolved Colids	//bu	963	966	912	901	878	891	924	2100
	Z Total Dissolved Solids	i	76.3	76.3	70.6	68.4	69.3	67.2	71.4	100
	3 Total Suspended Sollds	1119/L	16.7	161	154	139	141	139	149	250
	4 Chemical Oxygen Denianu mg/L	ma/I	49.2	49.7	45.3	42.6	43.9	42.4	45.52	100
	6 Oil & Grease	mg/L	2.1	2.1	2.0	1.8	1.7	3.5	1.87	10

# THE RAMCO CEMENTS LIMITED, KSR NAGAR ORGANIZATIONAL CHART OF ENVIRONMENTAL CELL



# THE RAMCO CEMENTS LIMITED JAYANTHIPUAM GROUP OF LIMESTONE MINES ENVIRONMENTAL PROTECTION ACCOUNT - CAPITAL & RECURRING EXPENDITURE DETAILS

	Total	77.23	70.00	6.300	1.80	39.000	475.000	669.330
kh Rs.	Ramco Budawada Limestone Mine (RF)	13.00	15.00	1.30	0.10	15.00	0.00	44.40
Projected for 2023-24, Lakh Rs.	Ravirala Limestone Mine (Forest)	24.86	20.00	1.60	0.70	7.50	0.00	54.66
Projected f	Jayanthipuram Limestone Mine (South Band)	5.00	3.00	1.60	0.40	6.50	0.00	16.50
	Jayanthipuram Limestone Mine (North Band)	34.37	32.00	1.80	09.0	10.00	475.00	553.77
	Total	63.560	64.00	6.130	1.43	31.240	485.294	651.65
	Ramco Budawada Limestone Mine	6.31	6.14	1.28	0.07	8.11	0.00	21.91
4441 60 0000	hipuram Ravirala Ram one Mine Limestone Mine Lin	19.80	19.22	1.56	0.56	6.61	0.00	47.75
- Avenue	Jayanthipuram Limestone Mine	7.90	86.9	1.51	0.20	6.66	0.00	23.25
	Jayanthipuram Limestone Mine	(North Band) 29.55	31.66	1.78	0.60	9.86	485.29	558.74
	Description	Pollution Control - Nonel detonators	Pollution Control - Water Sprinkling	Pollution Monitoring	Wet drilling	Greenbelt	Reclamation	Total
	Capital / Recurring				Recurring			